

XTREM PRO-SLEEVE



XTREM	
PRO-SLEEVE	
SIZE	PROSLW035-200
COLOR - WHITE	3.5MM - ID
LENGTH - 200 METER	
SUGGESTED CABLE SIZE - 2.5 SQ.MM	



TRADING SOLUTIONS

XTREM PRO SLEEVE

TUBE SELECTION


ID Diameter mm	2.0	2.5	3.0	3.2	3.5	4.0	4.2	4.5	4.7	5.0	5.5	6.0	7.0	8.0
Cable size (sq mm)	0.5	0.75	1.0	1.5	1.5	2.5	4.0	4.0	4.0	6.0	6.0	10.0	16.0	16.0
Packing length	200m/roll												100m/roll	
Colour: White, Red, Yellow. Other colors and sizes available on request.														

CABLE IDENTIFICATION PVC MARKING TUBES

ID (MM)	PART NO	P/STD	SPOOL	RECOMMENDED CABLE SIZE (MM)
2.0	PROSLW022-200	200M		(0.24-0.5) MM (7/0.2) AWG 22-26
2.5	PROSLW025-200	200M		(0.5-0.75) MM/AWG 20/AWG 20
3.0	PROSLW030-200	200M		1.00MM/23/0076"/AWG18
3.2	ROSLW032-200	200M		1.5MM/40/0076:/AWG16
3.5	PROSLW035-200	200M		1.5MM/70/0076"/AWG16
4.0	PROSLW040-200	200M		2.5MM/AWG12
4.2	PROSLW042-200	200M		2.5MM/AWG12
4.5	PROSLW045-200	200M		4.0MM
4.7	PROSLW047-200	200M		4.0MM
5.0	PROSLW050-200	200M		6.0MM/AWG10-12
5.5	PROSLW055-200	200M		6.0MM/AWG10
6.0	PROSLW060-200	200M		10.0MM/AWG8
7.0	PROSLW070-100	100M		16.0MM
8.0	PROSLW080-100	100M		16.0MM

PRODUCT SPECIFICATION:

- Full range of tubes size ranging from 2.0 -8.0mm
- Supplying in spool type
- Full range of colour available: White, Red,and Yellow
- ROHS Compliances environmental friendly



MATERIAL SPECIFICATION SHEET

SAMPLE ANALYSIS: Polyvinyl Chrolide (PVC) Compound

MATERIAL CODE: D11 F3

COLOUR : White, Yellow, Green, Blue, Black & Red

ITEMS	METHOD	UNIT	SPECIFICATION
Tensile Strength At Yield	ASTM D 638	Mpa	13.8
Elongation At Yield	ASTM D 638	%	329
Colour	Visual	N/A	As Approved
Hardness	ASTM D2240-97	Shore A	85±5
Appearance	Visual	N/A	No abnormal appearance

XTREM PRO SLEEVE





XTREM SOLUTIONS FZC LLC
AMC FREEZONE, AJMAN
PO BOX - 40159

sales@xtremuae.com

M: +971 504 255 803
M: +971 551 064 256

www.xtremuae.com